


Reinforcing:

5 (min.) - No. 4 deformed bars evenly spaced
(circumferential)

No. 4 deformed bars 12" O.C. (transverse across joint)



Excavate and backfill
as necessary ($\pm 3'$)

RCP SIZE
VARIES

8" minimum concrete
repair band. Extend
min. 18" along pipe
each direction from
joint.

M:\STANDARD SPECS & DETAILS\2021\Details\STO-13 PIPE JOINT REPAIR BAND.dwg

City Plate No.:
STO-13

Last Revision:
12/18/2020

Section:
2700

**STANDARD DETAILS
PIPE JOINT REPAIR BAND**